

IN THE CLAIMS:

Please amend claims 1, 11, 13 and 20, and add new claims 26-33, all as follows:

1. (Currently Amended) A migration destination file sharing device communicably connected to a migration source file sharing device and a host computer via a communications network, the migration destination file sharing device including:
 - means for relating a shared file system of the migration source file sharing device to the shared file system of the migration destination file sharing device and for determining a mount point that corresponds the shared file system of the migration source file sharing device to the shared file system of the migration destination file sharing device, the migration source shared file system having a plurality of files;
 - means for migrating data from the migration source file sharing device to the migration destination file sharing device on a file by file basis;
 - means for setting or changing a migration status of each file;
 - means for causing access from the host computer to be switched from the migration source file sharing device to the migration destination file sharing device;
 - means for detecting the migration status of data to which access has been requested by the host computer;
 - means for providing the data from the file system of the migration destination file sharing device in a case where the detected migration status of the data is a status where the data can be used from the file system of the migration destination file sharing device; and
 - means for providing the data from the file system of the migration source file sharing device in a case where the detected migration status of the data is a status where the data cannot be used from the file system of the migration destination file sharing device.
- 2-4. (Cancelled)
5. (Currently Amended) The migration destination file sharing device of claim 1, further comprising means for updating the network environment information of the migration source file sharing device to other values after starting the migration destination file sharing device on the basis of temporary setting-use network environment

information, and for causing the migration destination file sharing device to inherit the updated network environment information of the migration source file sharing device.

6. (Previously Presented) The migration destination file sharing device of claim 5, further comprising monitoring means for monitoring whether or not the network environment information of the migration source file sharing device has been updated to the other values.
7. (Previously Presented) The migration destination file sharing device of claim 5, wherein the inheriting of the network environment information from the migration source file sharing device and the updating of the network environment information of the migration source file sharing device are respectively conducted by remote control.
8. (Cancelled)
9. (Previously Presented) The migration destination file sharing device of claim 1, further including use frequency detecting means that detects the use frequency of data that cannot be used from the file system of the migration destination file sharing device, wherein data migrating priority is given to data whose use frequency detected by the use frequency detecting means is equal to or greater than a predetermined value.
10. (Previously Presented) The migration destination file sharing device of claim 1, wherein:
 - data migration statuses include
 - (A) a first migration status representing a status where migration of data from the file system of the migration source file sharing device to the file system of the migration destination file sharing device has not been conducted,
 - (B) a second migration status representing a status where data is migrating from the file system of the migration source file sharing device to the file system of the migration destination file sharing device,
 - (C) a third migration status representing a status where migration of data from the file system of the migration source file sharing device to the file system of the migration destination file sharing device has been completed, and

(D) a fourth migration status representing a status where data is being provided from the file system of the migration source file sharing device; and

(a) in the case of the first migration status, a migration status of data to which access has been requested is changed to the fourth migration status, provides the data from the file system of the migration source file sharing device, and thereafter returns the migration status of the data to the first migration status,

(b) in the case of the second migration status, the data from the file system of the migration source file sharing device is provided in a read-only mode,

(c) in the case of the third migration status, the data from the file system of the migration destination file sharing device is provided, and

(d) in the case of the fourth migration status, the data from the file system of the migration source file sharing system is provided in the read-only mode and thereafter the migration status of the data is changed to the first migration status.

11. (Currently Amended) A method of causing data to migrate from a file system of a migration source file sharing device to a file system of a migration destination file sharing device via a communications network, the method including the steps of:

relating a shared file system of the migration source file sharing device to the shared file system of the migration destination file sharing device, including determining a mount point that corresponds the shared file system of the migration source file sharing device to the shared file system of the migration destination file sharing device, the migration source shared file system having a plurality of files;

migrating data from the migration source file sharing device to the migration destination file sharing device on a file by file basis;

setting or changing a migration status of each file;

causing access from a host computer to be switched from the migration source file sharing device to the migration destination file sharing device;

detecting the migration status of data to which access has been requested by the host computer;

providing the data from the file system of the migration destination file sharing device in a case where the detected migration status of the data is a status where the data can be used from the file system of the migration destination file sharing device; and

providing the data from the file system of the migration source file sharing device in a case where the detected migration status of the data is a status where the data cannot be used from the file system of the migration destination file sharing device.

12. (Original) The inter-file sharing device data migration method of claim 11, wherein the step of causing access from the host computer to be switched to the migration destination file sharing device is one that causes access from the host computer to be switched from the migration source file sharing device to the migration destination file sharing device without changing network connection information that is set in the host computer.

13. (Currently Amended) A computer program stored in a computer readable medium implemented in a file server and for causing data to migrate from a migration source file sharing device to a migration destination file sharing device via a communications network, comprising:

a module for relating a shared file system of the migration source file sharing device to the shared file system of the migration destination file sharing device, said module being configured to determine a mount point that corresponds the shared file system of the migration source file sharing device to the shared file system of the migration destination file sharing device, the migration source shared file system having a plurality of files;

a module for migrating data from the migration source file sharing device to the migration destination file sharing device on a file by file basis;

a module for setting or changing a migration status of each file;

a module for causing access from a host computer to be switched from the migration source file sharing device to the computer;

a module for detecting the migration status of data to which access has been requested by the host computer;

a module for providing the data from the file system of the computer in a case where the detected migration status of the data is a status where the data can be used from a file system of the computer; and

a module for providing the data from a file system of the migration source file sharing device in a case where the detected migration status of the data is a status where the data cannot be used from the file system of the computer.

14. (Previously Presented) The migration destination file sharing device of claim 1, further comprising: means for causing the migration destination file sharing device to inherit, prior to data migration, network environment information for identifying the migration source file sharing device on the communications network.
15. (Previously Presented) The migration destination file sharing device of claim 1, wherein the means for relating the shared file system of the migration destination file sharing device with the shared file system of the migration source file sharing device copies a name of the shared file system of the migration source file sharing device so as to be a name of the shared file system of the migration destination file sharing device.
16. (Previously Presented) The inter-file sharing device data migration method of claim 11, further comprising the step of:

causing the migration destination file sharing device to inherit, prior to data migration, network environment information for identifying the migration source file sharing device on the communications network.
17. (Previously Presented) The inter-file sharing device data migration method of claim 11, wherein the step of relating the shared file system of the migration destination file sharing device with the shared file system of the migration source file sharing device includes copying a name of the shared file system of the migration source file sharing device so as to be a name of the shared file system of the migration destination file sharing device.
18. (Previously Presented) The computer program stored in a computer readable medium of claim 13, further comprising:

a module for causing the migration destination file sharing device to inherit, prior to data migration, network environment information for identifying the migration source file sharing device on the communications network.

19. (Previously Presented) The computer program stored in a computer readable medium of claim 13, wherein the module for relating the shared file system of the migration destination file sharing device with the shared file system of the migration source file sharing device copies a name of the shared file system of the migration source file sharing device so as to be a name of the shared file system of the migration destination file sharing device.
20. (Previously Presented) In a file sharing system that comprises a host computer, a source file sharing device, and a destination file sharing device communicably connected to the source file sharing device and the host computer via a communications network, the destination file sharing device includes:
- a control unit, the control unit being operatively formed to migrate data from the source file sharing device to the destination file sharing device and to include
 - a first component that relates a shared file system of the source file sharing device to the shared file system of the destination file sharing device, the source shared file system having a plurality of files, said first component being configured to determine a mount point that corresponds the shared file system of the migration source file sharing device to the shared file system of the migration destination file sharing device;
 - a second component that migrates the data from the source file sharing device to the destination file sharing device on a file by file basis;
 - a third component that sets or changes a migration status of each file;
 - a fourth component that causes access from the host computer to switch from the source file sharing device to the destination file sharing device;
 - a fifth component that detects the migration status of the data to which access has been requested by the host computer;
 - a sixth component that provides the data from the file system of the destination file sharing device in a case where the detected migration status of the data is a status where the data can be used from the file system of the destination file sharing device;
 - and
 - a seventh component that provides the data from the file system of the source file sharing device in a case where the detected migration status of the data is a status

where the data cannot be used from the file system of the destination file sharing device.

21. (Previously Presented) The migration destination file sharing device of claim 14, wherein the means for causing the migration destination file sharing device to inherit, prior to data migration, network environment information for identifying the migration source file sharing device on the communications network further includes

means for acquiring the network environment information from the migration source file sharing device,

means for changing the network environment information into change-use network environment information and for restarting the migration source file sharing device,

means for confirming whether the migration source file sharing device restarts with the change-use network environment information, and

means for changing network environment information of the migration destination file sharing device into the original network environment information of the migration source file sharing device.

22. (Previously Presented) The inter-file sharing device data migration method of claim 16, wherein the step of causing the migration destination file sharing device to inherit, prior to data migration, network environment information for identifying the migration source file sharing device on the communications network further includes

acquiring the network environment information from the migration source file sharing device,

changing the network environment information into change-use network environment information and for restarting the migration source file sharing device,

confirming whether the migration source file sharing device restarts with the change-use network environment information, and

changing network environment information of the migration destination file sharing device into the original network environment information of the migration source file sharing device.

23. (Previously Presented) The computer program stored in a computer readable medium of claim 18, wherein the module for causing the migration destination file sharing

device to inherit, prior to data migration, network environment information for identifying the migration source file sharing device on the communications network further includes the functions of:

acquiring the network environment information from the migration source file sharing device,

changing the network environment information into change-use network environment information and for restarting the migration source file sharing device,

confirming whether the migration source file sharing device restarts with the change-use network environment information, and

changing network environment information of the migration destination file sharing device into the original network environment information of the migration source file sharing device.

24. (Previously Presented) In a file sharing system that comprises a host computer, a source file sharing device, and a destination file sharing device communicably connected to the source file sharing device and the host computer via a communications network, according to claim 20, further comprising:

an eighth component that causes the migration destination file sharing device to inherit, prior to data migration, network environment information for identifying the migration source file sharing device on the communications network.

25. (Previously Presented) In a file sharing system that comprises a host computer, a source file sharing device, and a destination file sharing device communicably connected to the source file sharing device and the host computer via a communications network, according to claim 24, wherein the eighth component is further formed to acquire the network environment information from the migration source file sharing device, to change the network environment information into change-use network environment information and for restarting the migration source file sharing device, to confirm whether the migration source file sharing device restarts with the change-use network environment information, and to change network environment information of the migration destination file sharing device into the original network environment information of the migration source file sharing device.

26. (New) The migration destination file sharing device of claim 1, wherein said means for relating the shared file system of the migration source file sharing device to the shared file system of the migration destination file sharing device is further configured to correspond a name of a migration source host, a name of the shared file system of the migration source file sharing device, the mount point that corresponds the shared file system of the migration source file sharing device to the shared file system of the migration destination file sharing device, a name of the shared file system of the migration destination file sharing device, and a file migration status of files to be migrated to each other.
27. (New) The migration destination file sharing device of claim 1, wherein said means for relating the shared file system of the migration source file sharing device to the shared file system of the migration destination file sharing device is further configured to correspond a name of a migration source host, a name of the shared file system of the migration source file sharing device, and a name of the shared file system of the migration destination file sharing device to each other.
28. (New) The inter-file sharing device data migration method of claim 11, wherein the step of relating the shared file system of the migration source file sharing device to the shared file system of the migration destination file sharing device further includes corresponding a name of a migration source host, a name of the shared file system of the migration source file sharing device, the mount point that corresponds the shared file system of the migration source file sharing device to the shared file system of the migration destination file sharing device, a name of the shared file system of the migration destination file sharing device, and a file migration status of files to be migrated to each other.
29. (New) The inter-file sharing device data migration method of claim 11, wherein the step of relating the shared file system of the migration source file sharing device to the shared file system of the migration destination file sharing device further includes corresponding a name of a migration source host, a name of the shared file system of the migration source file sharing device, and a name of the shared file system of the migration destination file sharing device to each other.

30. (New) The computer program stored in a computer readable medium of claim 13, wherein the module for relating the shared file system of the migration destination file sharing device with the shared file system of the migration source file sharing device is further configured to correspond a name of a migration source host, a name of the shared file system of the migration source file sharing device, the mount point that corresponds the shared file system of the migration source file sharing device to the shared file system of the migration destination file sharing device, a name of the shared file system of the migration destination file sharing device, and a file migration status of files to be migrated to each other.
31. (New) The computer program stored in a computer readable medium of claim 13, wherein the module for relating the shared file system of the migration destination file sharing device with the shared file system of the migration source file sharing device is further configured to correspond a name of a migration source host, a name of the shared file system of the migration source file sharing device and a name of the shared file system of the migration destination file sharing device to each other.
32. (New) In the file sharing system according to claim 20, wherein the first component that relates the shared file system of the source file sharing device to the shared file system of the destination file sharing device is further configured to correspond a name of a migration source host, a name of the shared file system of the migration source file sharing device, the mount point that corresponds the shared file system of the migration source file sharing device to the shared file system of the migration destination file sharing device, a name of the shared file system of the migration destination file sharing device, and a file migration status of files to be migrated to each other.
33. (New) In the file sharing system according to claim 20, wherein the first component that relates the shared file system of the source file sharing device to the shared file system of the destination file sharing device is further configured to correspond a name of a migration source host, a name of the shared file system of the migration source file sharing device, and a name of the shared file system of the migration destination file sharing device to each other.